







You know why you want a hot tub. The reward of a musclesoothing soak after a hard workout. The promise of a relaxing retreat at the end of the day. The fun of sharing an enjoyable experience with family and friends.

You also want the best value. And while you do appreciate a good bargain, you know there's a lot more to it than price.

Value is a brand you can trust. It's quality features that work and stand up to everyday use. Easy care, low maintenance and energy efficiency. Service that's there if you need it, backed by a solid warranty. Value is features and quality at a price that fits your budget.

Hot Spot® Spas gives you the selection, quality, service and support that add up to real value. Buy your Hot Spot spa with confidence. It's from the makers of Hot Spring Spas the world's number one-selling brand of hot tubs.

## The Savings Are Built In.

A Hot Spot<sup>®</sup> spa is an investment in comfort and relaxation that's designed to give you years of enjoyment and cost-conscious operation, whichever model you choose.

### **Powerful**

Want lots of jet power? You've got it! At the heart of every Hot Spot spa is a powerful Wavemaster jet pump, perfectly matched with the spa's jet and plumbing system. Powerful, adjustable jets relax and revive your body with a comforting blend of air and water. Direct the adjustable jets for customized hydromassage. You'll get the precise amount of power you prefer for a deeply satisfying massage.

### **Simple Care**

Hot Spring® Spas pioneered the development of alternative-wood cabinets so you could add beauty to your backyard with a spa that is easy to maintain. The embossed wood-grain look has the natural warmth and beauty of wood, and because it is synthetic it is easy to clean.

### Reliable

Our proven, high quality No-Fault® heater is dependable and efficient, keeping the spa water at your desired temperature so you can enjoy a relaxing soak anytime. The heater is backed by our exclusive No-Fault warranty which has no exclusions, even for water chemistry.

### **Energy Efficient**

Hot Spot spas are insulated with an innovative product that's completely new to the spa industry: FiberCor™. The loose, wool-like fibers fill your Hot Spot cabinet completely to fully insulate your spa. FiberCor is applied at a 2 lb. density level – which is 4-times greater than ½ lb. foam used on most spas – to maximize energy efficiency and lower operating costs.

All Hot Spot spas have been certified to the stringent energy efficiency guidelines set by the California Energy Commission (CEC). With California setting the standard for energy-efficient hot tubs, you can have peace of mind knowing that your Hot Spot spa is designed to keep operating costs low no matter where you live.

Plus, FiberCor has the added benefit of being environmentally friendly. It's reusable, easily disposable and made from 25% recycled materials.











## Clean Water, All the Time.

Slip into soothing clean water without a lot of fuss or bother. Keeping your spa water sparkling fresh is simple. Hot Spot spas have an accessible, easy-to-clean filter cartridge and a jet pump that runs at low speed during routine, automatic filter cycles.

To enhance your water care routine, consider the optional EverFresh® water care system. The FreshWater® III ozone system generates a high concentration of ozone that works to neutralize contaminants on contact. And the FreshWater<sub>Ag+</sub>® continuous silver ion purifier provides the natural sanitation power of silver ions. To complete this more natural water care system, use our chlorine-free oxidizer to activate the silver ions that help refresh and polish your spa water.



Choose from five models with a variety of styles, all featuring Hot Spring® quality components such as the Wavemaster® jet pump and No-Fault® heater.

## Tempo°, Rhythm™& Relay® Models

(

The Tempo, Rhythm, and Relay spas are our most fully-featured Hot Spot® models with quality details that will provide years of pleasure and pride of ownership. From the elegant, flowing lines of the bar top to the ergonomic seating, cushioned pillows, attractive jet recesses and sculpted footwell, these sleek spas are designed to be aesthetically pleasing, comfortable and functional.





## **SX & TX Models**

If you want a quality spa that fits easily into a small space, consider the SX and TX models. Enjoy a stylish design and unique features you might expect to find only in much larger spas. For increased efficiency, quieter operation and continuous filtration, add the optional SilentFlo 5000® circulation pump.

With its slim profile and unique shape, the TX fits through standard doorways, goes up and down stairs and around corners. Compact enough for a second-floor deck, yet roomy enough for you to stretch out and relax, the SX and TX models are ideal choices for a first hot tub or changing lifestyles.







## **Accessories**

### **Enhance Your Experience**

Add to your ownership experience with accessories from Hot Spring® Spas. Our innovative water care enhancements, entertaining music system, easy cover removal systems, and durable steps will increase the use and enjoyment of your Hot Spot spa.

### **Water Care Enhancements**

Help extend the life of your spa water and make your soaking experience even more enjoyable with these water care enhancements.

The Vanishing Act® calcium remover reduces water hardness in an entirely new way. Instead of adding chemicals to the water, this product



removes calcium particles, leaving the water softer and silkier on your skin. Softer water reduces the need for additional chemicals, and helps protect hot tub components from damage that can result from hard water.

The Clean Screen® pre-filter helps ensure water is as clean as possible every time you fill your hot tub. Attach it to



a garden hose to filter out organic contaminants, metals (such as copper and iron), and tannins before they are introduced into the water.



### **Cover Removal Systems**

A cover removal system helps make your spa entry easy, helps prevent unnecessary cover damage and eliminates the need to drag off and pull on the spa cover. Choose from one of four cover removal options for the Tempo, Rhythm, Relay or SX models.



### **CoverCradle®**

Dual pneumatic gas springs in the arms of this lifter make cover removal a breeze.
This top-of-the-line
CoverCradle system features a low-profile design and ultra-smooth gliding mechanism.
Requires 24" clearance.



### **CoverCradle II**

Similar in design to the CoverCradle, this lifter uses a single pneumatic gas spring and allows for smooth operation. Requires 24" clearance.



### Lift'n Glide®

It's easy to remove your cover with this economical cover lifter. Requires 14" clearance.



### **UpRite®**

This system lifts the cover up over the spa bar top. It is ideal for limited clearance applications such as decks and gazebos. Requires only 7" clearance.

### **Steps**

Adding one of our spa step options allows for simple, safe, and easy access to your Hot Spot® spa.



Redwood

Espresso




**Coastal Gray** 

### 32"Polymer Step

This economical spa step is durable and lightweight. And at the end of its life, it can be disposed of directly into a standard recycling receptacle. Available in Coastal Gray, Espresso and Redwood.

### 32"Everwood® Step

This premium spa step, made from rigid polymers, requires very little maintenance. Embossed wood grain look and rich color combine to give it a natural wood appearance. Available in Coastal Gray, Espresso and Redwood.







Shown in Champagne Opal



-	
Seating Capacity	6 adults
Dimensions	7'5" x 7'5" x 38"/2.26m x 2.26m x .97m
Water Capacity	400 gallons/1,514 litres
Weight	911 lbs./413 kg dry;5,297 lbs./2,403 kg filled*
Spa Shell	Acrylic
Lighting	10 multi-color LED points of light, dimmable
Music System (Optional)	Integrated MP3 Sound System
Jets - 45	6 Directional Hydromassage jets
(all with stainless steel trim)	4 Rotary Hydromassage jets
	35 Directional Precision® jets
Water Feature	Included
Energy Efficiency	FiberCor™ Insulation; Certified to the California Energy
	Commission (CEC) in accordance with California law
Control System	IQ 2020 <sup>®</sup> 230v/50 amp, 60 Hz
	Includes G.F.C.I. protected sub-panel
Heater	No-Fault® 4000w/230v
Jet Pump 1	Wavemaster® 9200; Two-speed,
	2.5 HP Continuous Duty, 5.2 HP Breakdown Torque
Jet Pump 2	Wavemaster® 9000; One-speed,
	2.5 HP Continuous Duty, 5.2 HP Breakdown Torque
Ozone System (Optional)	FreshWater® III Corona Discharge
Effective Filtration Area	65 sq. ft., top loading
Vinyl Cover	3.5" to 2.5" tapered, 2 lb. density foam core
	Ash, Espresso or Rust
Cover Lifter (Optional)	CoverCradle®, CoverCradle II, Lift 'n Glide® or UpRite®
Steps (Optional)	Everwood® or Polymer
	Coastal Gray, Espresso or Redwood

<sup>\*</sup> Includes water and 6 adults weighing 175 lbs. each Export models available in 240v, 50Hz, 1000w Heater







Shown in Pearl



## **Rhythm**™

Seating Capacity	7 adults
Dimensions	7' x 7' x 36"/2.13m x 2.13m x .91m
Water Capacity	375 gallons /1,420 liters
Weight	847 lbs. /384 kg dry; 5,200 lbs. /2,358 kg filled*
Spa Shell	Acrylic
Lighting	10 multi-color LED points of light, dimmable
Music System (Optional)	Integrated MP3 Sound System
Jets - 35	5 Directional Hydromassage jets
(all with stainless steel trim)	3 Rotary Hydromassage jets
	27 Directional Precision® jets
Water Feature	Included
Energy Efficiency	FiberCor™ Insulation; Certified to the California Energy
	Commission (CEC) in accordance with California law
Control System	IQ 2020 <sup>®</sup> 230v/50 amp, 60 Hz
	Includes G.F.C.I. protected sub-panel
Heater	No-Fault® 4000w/230v
Jet Pump 1	Wavemaster® 6000; Two-speed,
	1.5 HP Continuous Duty, 3.2 HP Breakdown Torque
Jet Pump 2	Wavemaster® 6500; One-speed,
	1.5 HP Continuous Duty, 3.2 HP Breakdown Torque
Ozone System (Optional)	FreshWater® III Corona Discharge
Effective Filtration Area	65 sq. ft., top loading
Vinyl Cover	3.5" to 2.5" tapered, 2 lb. density foam core
	Ash, Espresso or Rust
Cover Lifter (Optional)	CoverCradle®, CoverCradle II, Lift 'n Glide® or UpRite®
Steps (Optional)	Everwood® or Polymer
	Coastal Gray, Espresso or Redwood

<sup>\*</sup> Includes water and 7 adults weighing 175 lbs. each Export models available in 240v, 50Hz, 1000w Heater









beating capacity	o dddit5
Dimensions	7' x 7' x 36"/2.13m x 2.13m x .91m
Water Capacity	360 gallons/1,363 litres
Weight	836 lbs./379 kg dry; 4,888 lbs./ 2,217 kg filled*
Spa Shell	Acrylic
Lighting	10 multi-color LED points of light, dimmable
Music System (Optional)	Integrated MP3 Sound System
Jets - 35	5 Directional Hydromassage jets
(all with stainless steel trim)	3 Rotary Hydromassage jets
	27 Directional Precision® jets
Water Feature	Included
Energy Efficiency	FiberCor <sup>™</sup> Insulation; Certified to the California Energy
	Commission (CEC) in accordance with California law
Control System	IQ 2020 <sup>®</sup> 230v/50 amp, 60 Hz
	Includes G.F.C.I. protected sub-panel
Heater	No-Fault® 4000w/230v
Jet Pump 1	Wavemaster® 6000; Two-speed,
	1.5 HP Continuous Duty, 3.2 HP Breakdown Torque
Jet Pump 2	Wavemaster® 6500; One-speed,
	1.5 HP Continuous Duty, 3.2 HP Breakdown Torque
Ozone System (Optional)	FreshWater® III Corona Discharge
Effective Filtration Area	65 sq. ft., top loading
Vinyl Cover	3.5" to 2.5" tapered, 2 lb. density foam core
	Ash, Espresso or Rust
Cover Lifter (Optional)	CoverCradle®, CoverCradle II, Lift 'n Glide® or UpRite®
Steps (Optional)	Everwood® or Polymer
	Coastal Gray, Espresso or Redwood

<sup>\*</sup> Includes water and 6 adults weighing 175 lbs. each Export models available in 240v, 50Hz, 1000w Heater







Shown in Pearl



Seating Capacity	3 adults
Dimensions	6' x 6' x 33"/1.83m x 1.83m x .84m
Water Capacity	285 gallons/1,078 litres
Weight	718 lbs./326 kg dry; 3,620 lbs./1,642 kg filled*
Spa Shell	Acrylic
Lighting	Blue LED light, dimmable
Lighting (Optional)	Splendors® multi-colored LED light, dimmable
Music System (Optional)	Integrated MP3 Sound System
Jets - 17	1 Moto-Massage® jet
	16 Directional Precision® jets
Energy Efficiency	FiberCor™ Insulation; Certified to the California Energy
	Commission (CEC) in accordance with California law
Control System	IQ 2020® 115v/20 amp**
	(Includes G.F.C.I. protected power cord)
	or 115v/30amp*** or 220v/50amp***,60Hz
Heater	No-Fault® 1000w/115v
Jet Pump	Wavemaster® 6000; Two-speed,
	1.5 HP Continuous Duty, 3.2 HP Breakdown Torque
Circulation Pump (Optional)	SilentFlo 5000®
Ozone System (Optional)	FreshWater® III Corona Discharge
Effective Filtration Area	30 sq.ft., top loading
Vinyl Cover	3.5" to 2.5" tapered, 1 lb. density foam core
	Ash, Espresso or Rust
Cover Lifter (Optional)	CoverCradle®, CoverCradle II, or Lift 'n Glide®
Steps (Optional)	Everwood® or Polymer
	Coastal Gray, Espresso or Redwood

<sup>\*</sup> Includes water and 3 adults weighing 175 lbs. each

\*\* Requires a dedicated circuit supplied to the unit at all times. Electrical requirements will vary outside the U.S.

\*\*\* G.F.C.I. protected sub-panel required in 30amp conversion or 220v mode

Export models available in 230v, 50Hz, 1000w Heater







Shown in Pearl



## TX

Seating Capacity	2 adults
Dimensions	5'8.5" x 5'8.5" x 29"/1.74m x 1.74m x .74m
Water Capacity	140 gallons/530 litres
Weight	526 lbs./239 kg dry; 2.044 lbs./927 kg filled*
Spa Shell	Acrylic
Lighting	Blue LED light, dimmable
Lighting (Optional)	Splendors® multi-colored LED light, dimmable
Jets - 10	1 Moto-Massage® jet 1 Rotary Hydromassage jet 8 Directional Precision® jets
Energy Efficiency	FiberCor™ Insulation; Certified to the California Energy Commission (CEC) in accordance with California law
Control System	IQ 2020® 115v/15 amp** (Includes G.F.C.I. protected power cord) or 115v/30amp*** or 220v/50amp***,60Hz
Heater	No-Fault® 1000w/115v
Jet Pump	Wavemaster® 4000; Two-speed, 1.0 HP Continuous Duty, 1.7 HP Breakdown Torque
Circulation Pump (Optional)	SilentFlo 5000®
Ozone System (Optional)	FreshWater® III Corona Discharge
Effective Filtration Area	30 sq.ft., top loading
Vinyl Cover	3" to 2" tapered, 2 lb. density foam core Ash, Espresso or Rust
Steps (Optional)	Everwood® or Polymer Coastal Gray, Espresso or Redwood

<sup>\*</sup> Includes water and 2 adults weighing 175 lbs. each

\*\* Requires a dedicated circuit supplied to the unit at all times. Electrical requirements will vary outside the U.S.

\*\*\* G.F.C.I. protected sub-panel required in 30amp conversion or 220v mode

Export models available in 230v, 50Hz, 1000w Heater



## **Limited Warranty**

Watkins Manufacturing Corporation ("Watkins") warrants to the original consumer purchaser ("you") the following about your new Hot Spot spa, when purchased from an authorized dealer/service provider ("dealer").

### **5** YEAR NO LEAK SHELL WARRANTY

Watkins warrants against water loss due to defects in the spa shell for five years.

### **2** YEAR SHELL SURFACE WARRANTY

Watkins warrants the acrylic surface material of the Hot Spot spa to be free from defects in materials and workmanship for two years.

### **2** YEAR NO LEAK PLUMBING WARRANTY

Watkins warrants the Hot Spot spa against leaks caused by defects in manufacturing and workmanship for two years. This warranty specifically covers leaks from the wall fittings, jet fittings, internal plumbing, internal glue joints, drains, hoses, and all bonded parts.

### **2** YEAR COMPONENT WARRANTY

Watkins warrants the electrical components, pump(s), Moto-Massage® jet, and other Hot Spot spa components against defects in materials and workmanship for two years. Some parts, most of which can be changed out without the use of tools, such as filter cartridges, filter lid, spa pillows, and cover locks, are not included in this warranty, but are warranted to be free from defects in materials and workmanship at the time of delivery. Spa covers and other spa accessories are specifically excluded from this warranty, although they may be covered by other warranties. Please check with your Hot Spot dealer for details.

## 2 YEAR NO-FAULT® HEATER WARRANTY

Watkins unconditionally warrants the No-Fault heater to be free from defects in materials and workmanship for two years. This warranty defines unconditional, with exclusion of commercial or industrial use, and improper installation as warranty coverage without exception provided that the component has failed to operate properly within the spa's system.

### 2 YEAR SIMULATED WOOD WARRANTY

Watkins warrants the simulated wood cabinet material to be free from defects in materials and workmanship for two years. This warranty specifically covers the cabinet's structural integrity (exclusive of surface stain), including the material and assembly.

The simulated wood cosmetic finish is warranted to be free from defects in materials and workmanship at the time of initial delivery. Fading and weathering of the surface may occur naturally over time, and are not defects. To restore the cabinet's appearance, refer to the spa Owner's Manual for proper care and maintenance instructions.

## 2 YEAR LED LIGHT ASSEMBLY WARRANTY – TEMPO°, RHYTHM™, AND RELAY° SPAS

Watkins warrants the LED light assemblies of the Tempo, Rhythm, and Relay spas, which consists of all lights within the spa, to be free from defects in materials and workmanship for two years.

### 1 YEAR LED LIGHT ASSEMBLY WARRANTY – SX AND TX SPAS

Watkins warrants the LED light assemblies of the Sprint, Dash, SX and TX spas to be free from defects in materials and workmanship for one year.

The following applies to all of the warranties listed:

#### **EXTENT OF WARRANTY**

This warranty extends only to the original consumer purchaser of the Hot Spot spa when purchased and originally installed within the boundaries of the United States. This warranty begins on your delivery date of the spa, but in no event later than one year from the date of purchase. This warranty terminates upon any transfer of ownership, or if the spa is installed or relocated outside the boundaries of the United States by the original consumer purchaser prior to the expiration of the warranty period.

### **WARRANTY PERFORMANCE**

To make a claim under this warranty, contact your dealer. In the event you are unable to obtain service from the dealer, please contact Watkins Manufacturing Corporation at 1280 Park Center Drive, Vista, California, 92081, Attn: Customer Service Department or (800) 999-4688 or via e-mail, custsvc@watkinsmfg.com. You must give Watkins and/or your dealer written notice of any warranty claim, along with a copy of your original purchase receipt indicating the date of the purchase, within ten (10) days of the time you discover the claim. Watkins reserves the right to inspect the malfunction or defect on location.

Watkins or its Authorized Service Agent will repair any defects covered by this warranty. Except as described herein, you will not be charged for parts, labor or the freight costs for parts necessary to repair the spa for defects covered by this warranty. In some cases, the servicing dealer may charge you a reasonable repairperson travel/service charge that is not covered by this warranty. Please contact the dealer for information regarding any such charges.

### **LIMITATIONS**

Except as described above, this warranty does not cover defects or damage due to normal wear and tear, improper installation, alteration without Watkins' prior written consent, accident, acts of God, misuse, abuse, commercial or industrial use, use of an accessory not approved by Watkins, failure to follow Watkins' Pre-Delivery Instructions or Owner's Manual, or repairs made or attempted by anyone other than an authorized representative of Watkins. Alteration includes, but is not limited to, any component or plumbing change, or electrical conversion. Visit www.hotspothottubs.com or contact your dealer for a list of manufacturer approved accessories.

### **DISCLAIMERS**

TO THE EXTENT PERMITTED BY LAW, WATKINS SHALL NOT BE LIABLE FOR LOSS OF USE OF THE SPA OR OTHER INCIDENTAL OR CONSEQUENTIAL COSTS, EXPENSES, OR DAMAGES, INCLUDING BUT NOT LIMITED TO THE REMOVAL OF ANY DECK OR CUSTOM FIXTURE OR ANY COST TO REMOVE OR REINSTALL THE SPA, IF NEEDED. Some states do not allow the exclusion or limitation of incidental or consequential damages, so the above limitations may not apply to you. ANY IMPLIED WARRANTIES, INCLUDING THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE, ARE LIMITED TO THE DURATION OF THE APPLICABLE WARRANTY STATED ABOVE. Some states do not allow limitations on how long an implied warranty may last, so the above limitations may not apply to you.

### LEGAL REMEDIES

This warranty gives you specific legal rights, and you may have other rights which vary from state to state.

PN 62239 Rev. K 3/12



# HOT SPOT



We Print Our Brochures on only Forest Stewardship Council (FSC) Paper. Printed in the USA on recycled paper that contains 10% post-consumer waste and is FSC certified. FSC ensures that the paper in our brochures contains fiber from well-managed and responsibly harvested forests. Please pass this catalog on or recycle again.



The paper in this brochure was manufactured with electricity in the form of renewable energy (wind, hydro, and biogas).

## www.hotspring.com

© 2012 Watkins Manufacturing Corporation, 1280 Park Center Drive, Vista, CA 92081. Specifications, colors, and surface materials subject to change without notice. Not all features are available on all products. Printed in USA. Hot Spot, Hot Spring, Tempo, Relay, Rhythm, Clean Screen, CoverCradle, EverFresh, Everwood, FreshWater, FreshWater, and Uson, Queen CoverCradle, EverFresh, Everwood, FreshWater, FreshWater, and Uson, Moto-Massage, No-Fault, Precision, SilentFlo, Splendors, UpRite, Vanishing Act, and Wavemaster are trademarks of Watkins Manufacturing Corporation. Forest Stewardship Council, FSC and the FSC logo are trademarks of Forest Stewardship Council, A.C. and are not affiliated with Watkins. iPod is a registered trademark of Apple, Inc. and is not affiliated with Watkins. All 230v models must be installed by a licensed electrician in accordance with local codes. US Patent #5,647,736; #5,810,257: #5,924,850: #6,324,707; #6,381,76681; D407,805; D431,297; and other patents pending.







