

144x91x45 in.[366 x 231 x 114 cm]

Water Capacity

1,300 gal _[4,921 L]

Dry Weight

1,750 | bs [794 kg]

Filled Weight

12,592 | S [5,711 kg]

Heater

5.5 KW - 60 HZ [3.0 kW - 50 Hz]

Filter

(1) Microfilter (1) 50 sq ft Filter



Active EP-12

- Hydrotherapy System:

 14 Helix Jets, 5.0 BHP 1-Spd Pump
 - (2) 5 in. Whirlpool Jets

Oceanwave Op UPGRA



Silver Marble

STANDARD

Above Ground

144x91x52 in.[366 x 231 x 132 cm]

Water Capacity

1,500 gal _[5,678 L]

Dry Weight

2,000 | S [907 kg]

Filled Weight

14,510 IDS [6,582 kg]

Heater

5.5 KW - 60 HZ [3.0 KW - 50 Hz]

Filter

(1) Microfilter (1) 50 sq ft Filter



Active Plus EP-12

Available in:

- Semi In-Ground
- Above Ground

Optional Swim Jets & Hydrotherapy Systems-... Dual Swim Jet System:

- 2 Adjustable Swim Jets (175 GPM Rated)
- 4.0 HP 1-Spd Swim Pump

Twin Bench:

• 12 Helix Jets, 3.0 BHP 1-Spd Pump

Hydrotherapy System:

- 28 Helix Jets
- 6.0 BHP 1-Spd Pump. BellagioFall Water Feature

Pumps are rated at Brake Horse Power (BHP). BHP is a maximum value measured by the motor manufacturer with no load applied. Dry weight is shipping weight, including package and wooden runners. Dimensions, capacities and weights are approximate. Specifications are subject to change without notice. Spa images have been digitally rendered and may or may not show optional features.

Water Capacity

1,750 gal _[6,625 L]

Dry Weight

2,250 IS [1,020 kg]

Filled Weight

16,845 Ibs [7,640 kg]

Heater

5.5 KW - 60 HZ [3.0 KW - 50 Hz]

Filter

[1] Microfilter [1] 50 sq ft Filter



All-New remium EP-14

Quad Swim Jet System:

• 4 Adjustable Swim Jets (175 GPM Rated)

- (2) 4.0 HP 1-Spd Swim Pump

Hydrotherapy System:

- 28 Helix Jets
- 6.0 BHP 1-Spd Pump. BellagioFall Water Feature

- Semi In-Ground
- Above Ground

1800X91X60 in.[457 x 231 x 152 cm]

Water Capacity

1,850 gal _[7,000 L]

Dry Weight

2,400 | bs [1,088 kg]

Filled Weight

7,829 | S [8,087 kg]

Heater

5.5 KW - 60 HZ [3.0 KW - 50 Hz]

Filter

[2] 75 sq ft Filters

Pro EP-15

Available in:

- Semi In-Ground
- Above Ground



- Optional Swim Jets & Hydrotherapy Systems . Quad Swim Jet System:
 - 4 Adjustable Swim Jets (175 GPM Rated)
 - (2) 4.0 HP 1-Spd Swim Pump

Hydrotherapy System:

- DirectFlow® with 18 Helix Jets
- 5.0 BHP 1-Spd Pump
- Optional Twin Bench:8 Helix Jets & 6.0 BHP 1-Spd Pump

192x91x60 in.[487 x 231 x 152 cm]

Water Capacity

2,200 gal _[8,328 L]

Dry Weight

3,500 | S [1,588 kg]

Filled Weight

21,040 ||S [9,910 kg]

Heater

5.5 KW - 60 HZ [3.0 kW - 50 Hz]

[2] 75 sq ft Filter



Power Plus EP-16

Variable Current Swim System:

- Powered by Propeller Technology
- 7.5 HP Hydraulic Variable Frequency Drive (VFD)
- 3300 GPM VGB Suction Grate, 316 SS Propeller Construction
- Full Foam with Powder Coated Steel Frame

Hydrotherapy System:

- DirectFlow® with 26 Helix Jets
- 6.0 BHP 1-Spd Pump

Above Ground





Standard

- 6 in. Maximum Tapered ASTM Cover
- Advanced Digital Control System:
 Color LCD Panel, WiFi Ready (Module Required), Multi-language Interface
- Heater: 5.5 kW for North America (60 Hz), 3.0 kW for Export (50 Hz)
- Maintenance Free Kingwood Cabinet
- 18 in. Grab Rails: (2) EP-14/EP-15/EP-16, (1) EP-12
- Dual 9 in. Waterfall (EP-15/EP-16)
- Full Foam with ABS Bottom (EP-12/EP-14/EP-15)
- 12 V 5 in. Spa Light
- Hi-Flo Circulation System
- Ozonator/Crystal ProPure™/AOP™ Ready

Kingwood Cabinet

• Maintenance Free Cabinets














Warranty

- Lifetime Structure
- 5 Year Parts, Labor, Plumbing and Electrical
- 2 Year Cabinet

• 7 Year Surface



Aquatic Training System

ROWING

Rowing Bars

Smooth, low-impact, and non-load bearing, rowing spreads the exercise intensity evenly over the body's three major muscle groups: the torso, legs, and arms. This even distribution of exercise helps tone all muscles, instead of just one group.

STRENGTH TRAINING


• Resistant Cords, Clips, and Handles

Resistance cords are used in the TidalFit pool for curls, tricep extensions, chest presses, shoulder pulls, and back pulls. These upper body exercises are specifically designed to build strength and lumbar core stability. The cords vary in size to accommodate beginners to advanced conditioning.


AQUA TREADMILL

• Stationary Resistant Swim Tether

The resistance swimming tether training system adds dimension to the range of the TidalFit exercise options. The buoyancy of water provides a virtually weightless environment, allowing you to walk with minimal stress on joints and bones. Walking against the resistance of water also increases the rate at which you burn calories and strengthen muscles.







JET SYSTEMS

CABINETS *On Semi In-ground Models Only.

ROCK





Upgrades

Variable Current Swim System (EP-16):

- Powered by Propeller Technology
- 7.5 HP Hydraulic Variable Frequency Drive (VFD)
- 3300 GPM VGB Suction Grate, 316 SS Propeller Construction
- Full Foam with Powder Coated Steel Frame

Quad Swim Jet System (EP-14, EP-15):

- 4 Adjustable Swim Jets (175 GPM rated)
- (2) 4.0 HP 1-Spd 2.5 in. Swim Pumps

Dual Swim Jet System (ActivePlus EP-12):

- 2 Adjustable Swim Jets (175 GPM rated)
- (1) 4.0 HP 1-Spd 2.5 in. Swim Pump

HYDROTHERAPY SYSTEMS

PowerPlus EP-16:

• DirectFlow® with 26 Helix Jets, 6.0 BHP 1-Spd Pump

Pro FP-15:

- DirectFlow® with 18 Helix Jets, 4.8 BHP 1-Spd Pump
- Optional Twin Bench (8 Helix Jets & 6.0 BHP 1-Spd Pump)

Premium FP-14:

• 28 Helix Jets, 6.0 BHP 1-Spd Pump, BellagioFall Water Feature

ActivePlus FP-12:

- 28 Helix Jets, 6.0 BHP 1-Spd Pump, BellagioFall Water Feature
- Optional Twin Bench, 12 Helix Jets, 3.0 BHP 1-Spd Pump

Active FP-12:

• 14 Helix Jets, 4.8 BHP 1-Spd Pump, (2) 5 in. Whirlpool Jets

LED LIGHTING

Multicolor 10 LED

DynaBrite LED (EP-12 Only):

• (8) 2 in. Lights, 5 in. Light, Illuminates BellagioFall (Hydrotherapy Required)

DunaBrite Max LED:

• (12) 2 in. Lights, 5 in. Light, Illuminates Water Feature

WATER PURIFICATION

Ozonator

Crystal ProPure[™] Ozone Mixing Chamber

Crystal AOP™ ProPure Advanced Oxidation

Nature2® Cartridge

AQUATIC TRAINING SYSTEM

Stationary Resistant Swim, Rowing Bars and Resistant Cords

WORLDWIDE WIFI APP MODULE

Required to control the spa wirelessly via smart device app

VACUSEAL® LIFTER AND COVER

Makes cover lifting easier and seals the cover to the pool, creating a vacuum seal.

Stereo Systems

Bluetooth® Music Experience:

- Bluetooth Audio Streaming
- AM/FM
- USB, AUX-in Housing
- (4) 3 in. Speakers
- Subwoofer
- Optional (2) 3 in. Patio Speakers

bba™ Bluetooth® Audio:

- Fully Integrated Bluetooth Audio Streaming
- (4) 3 in. Speakers
- Subwoofer
- Optional (2) 3 in. Patio Speakers



Stream Music with a touch

of a button. Artesian Spas brings Bluetooth® technology to your spa. Connect with any smart device of your choice and instantly start enjoying your favorite tunes.

The bba™ Bluetooth Audio System is fully integrated into the control panel of your spa for easy use.





The innovative DirectFlow® the motor and direct plumbing system combined with the


Variable Flow Control (VFC) provides the user the ultimate control to alter the massage level desired.

Available on all models, this is the perfect addition to every home workout session. Each workout can now end with a individually controlled hydrotherapy massage to rejuvenate



YOU CONTROL

Custom and Wide Range of Pressure, Flow Rate, and Motor Power (Amperage Draw)







The WORLDWIDE APP MODULE OPTION, allows you to access your hot tub using an App on your smart device (Android™ or iPhone®) via a direct connection anywhere in the local proximity of your tub. Gain access anywhere in your house that you can connect to your local WiFi network, or anywhere in the world you have an internet connection to your smart device via 3G, 4G, or WiFi hot spots.

With the App, you can ensure that your hot tub will be ready whenever you want to take a dip. The App provides full interface control so you can set the temperature, turn pumps on and off and even set filtration cycles - all from your smartphone or tablet.












*The app's cloud access cost is free for the first 12 months and then \$24 per year after. If not renewed after 12 months, the app will continue to operate in local mode only.


Crystal AOP™

The Crystal AOP ProPure Advanced Oxidation combines the Nature2® option, Microfiltration, high efficiency Circulation Pump, UVC, Ozone and ProPure Mixer to create the most advanced oxidation process (AOP) for water purification.



How it works

- 1. Spa water enters the optional Nature2° stick where silver and copper minerals naturally destroy bacteria.
- 2. Contaminants are then trapped in the Microfilter.
- 3. Water is cycled through the high efficiency Circulation Pump filtering water up to 30 gallons per minute.
- 4. Air enters unit where the UV Bulb converts it to Ozone and Hydroxyls. (Bulb rated 20,000 life hours.)
- 5. Water enters the AOP Unit through the injector, drawing Ozone and Hydroxyls from the chamber. Static mixer combines water, Ozone and Hydroxyls in a scrambled flow.
- 6. Water irradiated by Germicidal UVC converts ozone to Hydroxyl Radicals through Advance Oxidation Processing. Contaminants are destroyed by intense Germicidal UVC, Ozone, and Hydroxyl Radicals.
- 7. Water exits the unit to the ProPure Mixer, where water and air is mixed to keep ozone concentrated and isolated to maximize purification to produce the purest sanitized spa water possible.



Crystal ProPure™

Water Purification combines the Ozonator, Dynamic Injector, and the ProPure Mixing Chamber. All components work together to create an innovative water purification system.



How it works

- 1. The Nature2° option is a patented technology uses silver and copper minerals to naturally destroy bacteria and algae.
- 2. The Microfiltration removes contaminants such as dirt, metals, and oil by water passage through a microporus membrane.
- 3. Water is cycled through the high efficiency Circulation Pump filtering water up to 30 gallons per minute.
- 4. Oxygen Molecules are split by electrodes and then Oxygen Atoms unite with other oxygen molecules to produce high output ozone.
- 5. The ozone generator produces ozone and the Dynamic Injector then shoots ozone into the ProPure Mixing Chamber, where it mixes with water and air. This chamber keeps the ozone concentrated in a small body of water. The isolated chamber allows the ozone to remain undiluted, hence it can efficiently kill more bacteria, fungi, and viruses than if it was directly injected into the entire spa.
- 6. Water exits the unit and flows into the spa resulting in clean and Purified spa water.







About TidalFit Exercise Pools

The TidalFit exercise pool is built to the same world class quality standards that you would expect from the makers of May Manufacturing, LLC, who is renowned throughout the spa industry. Designed with an ideal combination of innovative engineering and artistry, the TidalFit is as constant in quality as it is in efficiency and design. Some of the most discriminating buyers acquire this exercise pool because it is intuitively user friendly, as well as being aesthetically appealing. Simply put, with its quality workmanship and exceptionally attractive features, the TidalFit is in a class of its own. TidalFit was recently seen on the ABC television show Extreme Makeover Weight Loss Edition.







www.TidalFit.com















