





AMERICAN® WHIRLPOOL

The Perfect Hot Tub



The Ultimate Hot Tub

Built to last a lifetime American Whirlpool® features the worlds first Steel frame - Appliance Grade® structure. For the ultimate relaxing and healing experience, American Whirlpool® also features the worlds first medically designed jet massage systems called Zone Therapy®. Experience the exclusive features that make your new American Whirlpool® the ultimate hot tub.

Dimensions64	4" X 81" /163 x 206 cm
Depth	31" /79 cm
Seating Capacity	3
Water Capacity (gal/liters)	185 gal /700 L
Weight (empty)	605 lbs/274 kg
Weight (full)	2,151 lbs/976 kg
Lounge	Yes
Illuminated Drink Holders	3
Illuminated Spa Controls	Yes
3.5" Underwater Spa Light	Yes

STANDARD UTILITY FEATURES	
Programmable Filter Cycles	. Yes
Steel Sub-Structure	. Yes
DuraMAAX® Cabinetry	. Yes
ABS Bottom Pan	. Yes
Northern Exposure® Insulation	. Yes
Touch Screen Top Side Control	. Yes
Foot Relief Zone®	. Yes
Performance Seating®	. Yes
Head Cushions	3
Digital Color Optic Lighting (interior only)	. Yes
Status Indicator Light	. Yes

Stainless Steel Jets Yes

Pump 1 (Export)	3.0Hp/6.0bHp, 240V, 2Sp 3.0Hp/6.0bHp, 230V, 2Sp
	240/40A/50A
	29
	YesYes













Dimensions	78" X 78"/198 cm x 198 cn
Depth	35″/89 cn
Seating Capacity	
Water Capacity (gal/li	ters)259 gal/980
Weight empty	697 lbs /316 kg
Weight full	2,847 lbs/1,291kg
Illuminated Drink Hold	ers
Illuminated Spa Contro	lsYe
3 5" Underwater Spa	LightYe

STANDARD UTILITY FEATURES	
Programmable Filter Cycles	Yes
Steel Sub-Structure	Yes
DuraMAAX® Cabinetry	Yes
ABS Bottom Pan	
Northern Exposure® Insulation	Yes
Touch Screen Top Side Control	Yes
Comfort Collar®	2
Head Cushions	2
Performance Seating®	Yes
Aurora Cascade Water Feature	2
Digital Color Optic Lighting (interior only)	Yes
Status Indicator Light	

Stainless Steel Jets Yes

Pump1	3.0Hp/6.0bHp, 240V, 2Sp
Pump2	3.0Hp/6.0bHp, 240V, 2Sp
	3.0Hp/6.0bHp, 230V, 2Sp
Pump2(Export)	3.0Hp/6.0bHp, 230V, 2Sp
Electrical Requirements	.,
(4-Wire)	240/40A/60A
	230V, 50Hz, 1x25A
	32
OPTIONAL FEATU	RES
AeroMAAX® Plus (10 ai	riots) Voc
	0 3/ 03
CleanZone® System	
	Yes Sanitization System)Yes
Clean Zone® Ultra (Dua	Yes Sanitization System) Yes
Clean Zone® Ultra (Dua Bluetooth Music System	Yes













Dimensions	78" X 78" /198 x 198 cm
Depth	35" /89 cm
Seating Capacity	4
	s)255 gal /965 l
Weight (empty)	697 lbs/316 kg
Weight (full)	2,810 lbs/1,275 kg
Lounge	Ye
Illuminated Drink Holders	2
Illuminated Spa Controls.	Yes
3.5" Underwater Spa Lia	ht Yes

STANDARD UTILITY FEATURES	
Programmable Filter Cycles	Yes
Steel Sub-Structure	Yes
DuraMAAX® Cabinetry	Yes
ABS Bottom Pan	
Northern Exposure® Insulation	Yes
Touch Screen Top Side Control	
Comfort Collar®	1
Head Cushions	2
Chromatherapy	Yes
Performance Seating®	Yes
Aurora Cascade Water Feature	2
Digital Color Optic Lighting (interior only)	Yes
Status Indicator Light	Yes
Stainless Steel Jets	

Pump 1	. 3.0Hp/6.0bHp, 240V, 2S	p
Pump2	. 3.0Hp/6.0bHp, 240V, 2S	p
Pump1 (Export)	. 3.0Hp/6.0bHp, 230V, 2S	p
Pump2(Export)	. 3.0Hp/6.0bHp, 230V, 2S	p
Electrical Requirements		
	240/40A/60	
Export	230V, 50Hz, 1x25	A
Jet Total	2	8
OPTIONAL FEATUR	RES	
	jets)Ye	S
	Ye	
,	Sanitization System) Ye	
	Ye	
Pedestal Lights	Ye	S
•	Ye	













Dimensions	87" X 87" /221 x 221 cm
Depth	35" /89 cm
Seating Capacity	6
Water Capacity (gal/liter	s) 296 gal /1,120 l
Weight (empty)	827 lbs/375 kg
Weight (full)	3,281 lbs/1,488 kg
Illuminated Drink Holders	4
Illuminated Spa Controls.	Yes
3.5" Underwater Spa Lia	ht Yes

STANDARD UTILITY FEATURES	
Programmable Filter Cycles	Yes
Steel Sub-Structure	Yes
DuraMAAX® Cabinetry	Yes
ABS Bottom Pan	
Northern Exposure® Insulation	
Touch Screen Top Side Control	Yes
Comfort Collar®	2
Foot Dome	Yes
Zone Therapy® Seat	
Shiatsu Seat	
Head Cushions	
Chromatherapy	Yes
Aurora Cascade Water Feature	
Digital Color Optic Lighting (interior only)	
Status Indicator Light	
Stainless Steel Jets	Yes

Pump1	3.0Hp/6.0bHp, 240V, 2Sp 3.0Hp/6.0bHp, 230V, 2Sp 3.0Hp/6.0bHp, 230V, 2Sp 240/40A/60A 230V, 50Hz, 1x25A
OPTIONAL FEATURE AeroMAAX® Plus (10 air je CleanZone® System Clean Zone® Ultra (Dual So Bluetooth Music System Pedestal Lights X-Series Collar	rts)













Dimensions 87" X 87	7" /221 cm x 221 cm
Depth	35" /89 cm
Seating Capacity	6
Water Capacity (gal/liters)	345/1,306
Weight (empty)	820 lbs/372 kg
Weight (full)	3,703 lbs/1,680 kg
Lounge	Yes
Illuminated Drink Holders	4
Illuminated Spa Controls	Yes
Molded Grab Bar	Yes
3.5" Underwater Spa Light	Yes

STANDARD UTILITY Features	
Programmable Filter Cycles	Yes
Steel Sub-Structure	Yes
DuraMAAX® Cabinetry	Yes
Northern Exposure® Insulation	Yes
ABS Bottom Pan	
Touch Screen Top Side Control	Yes
Foot Relief Zone®	Yes
Comfort Collar®	2
Zone Therapy® Seat	Yes
Shiatsu Seat	
Head Cushions	
ChromaTherapy	Yes
Aurora Cascade Water Feature	2
Digital Color Optic Lighting (interior only)	Yes
Status Indicator Light	
Stainless Steel Jets	

Pump2	3.0Hp/6.0bHp, 240V, 2Sp 3.0Hp/6.0bHp, 240V, 2Sp 3.0Hp/6.0bHp, 230V, 2Sp 3.0Hp/6.0bHp, 230V, 2Sp 230V, 50Hz, 1x25A
CleanZone® System Clean Zone® Ultra (Dual S Bluetooth Music System . Pedestal Lights	siets)













Dimensions	' / 221 cm x 221 cm
Depth	35" /89 cm
Seating Capacity	5
Water Capacity (gal/liters)	347 gal /1,316 l
Weight (empty)	808 lbs/367 kg
Weight (full)	. 3,703 lbs/1,680 kg
Lounges	
Illuminated Drink Holders	
Illuminated Spa Controls	Yes
Molded Grab Bars	Yes
3 5" Underwater Spa Light	Yes

SIANDAKD UIILIIT FEAIUKES	
Programmable Filter Cycles	Yes
Steel Sub-Structure	Yes
DuraMAAX® Cabinetry	Yes
ABS Bottom Pan	
Northern Exposure® Insulation	Yes
Touch Screen Top Side Control	
Foot Relief Zone®	Yes
Calf Zone	Yes
Comfort Collar®	1
Zone Therapy® Seat	
Head Cushions	
Chromatherapy	Yes
Aurora Cascade Water Feature	
Digital Color Optic Lighting (interior only)	Yes
Status Indicator Light	
Stainless Steel Jets	Yes

Pump 1	3.0Hp/6.0bHp, 240V, 2Sp
Pump2	3.0Hp/6.0bHp, 240V, 2Sp
	3.0Hp/6.0bHp, 230V, 2Sp
Pump2(Export)	3.0Hp/6.0bHp, 230V, 2Sp
Electrical Requirements	.,
(4-Wire)	240/40A/60A
Export	230V, 50Hz, 1x25A
	47
OPTIONAL FEATUR	ES
	jets)Yes
	Yes
	Sanitization System) Yes
Bluetooth Music System .	Yes
	Yes
•	Yes













Dimensions 91.5" x 91.5" /232 cm x 232 cr
Depth38" /97 cr
Seating Capacity
Water Capacity (gal/liters) 351 gal /1,329
Weight (empty)
Weight (full) 3,798lbs/1,723 k
Illuminated Drink Holders
Illuminated Spa ControlsYe
3.5" Underwater LightYe

STANDARD UTILITY FEATURES	
Programmable Filter CyclesYes	
Steel Sub-StructureYes	
DuraMAAX® Cabinetry Yes	
Northern Exposure® Insulation Yes	
ABS Bottom PanYes	
Touch Screen Top Side ControlYes	
Comfort Collar®	
Foot DomeYes	
Zone Therapy® SeatYes	
Shiatsu SeatYes	
Head Cushions4	
ChromaTherapyYes	
Aurora Cascade Water Feature2	
Digital Color Optic Lighting (interior only) Yes	
Status Indicator LightYes	
Stainless Steel Jets	

Pump1	3.0Hp/6.0bHp, 240V, 2Sp
Pump2	3.0Hp/6.0bHp, 240V, 2Sp
	3.0Hp/6.0bHp, 230V, 2Sp
Pump2(Export)	3.0Hp/6.0bHp, 230V, 2Sp
Electrical Requirements	.,
(4-Wire)	240/40A/60A
Export	230V, 50Hz, 1x25A
	53
OPTIONAL FEATU	RES
AeroMAAX® Plus (10 aiı	jets)Yes
CleanZone® System	Yes
	Sanitization System) Yes
Bluetooth Music System	Yes
	Yes
	Yes













Dimensions 91.5" x 91.5	5" /232 cm x 232 cn
Depth	38" /97 cn
Seating Capacity	
Water Capacity (gal/liters)	417 gal /1,579
Weight (empty)	938 lbs/425 kg
Weight (full)	. 4,403 lbs/1,997 kg
Lounge	Ye
Illuminated Drink Holders	
Illuminated Spa Controls	Ye
3.5" Underwater Spa Light	Ye

'es
'es
.2
'es
'es
.3
'es
.2
'es
'es
'es

Pump1	3.0Hp/6.0bHp, 240V, 2Sp
	3.0Hp/6.0bHp, 240V, 2Sp
Pump1 (Export)	3.0Hp/6.0bHp, 230V, 2Sp
Pump2(Export)	3.0Hp/6.0bHp, 230V, 2Sp
Electrical Requirements	
(4-Wire)	240/40A/60A
Export	230V, 50Hz, 1x25A
Jet Total	52
OPTIONAL FEATU AeroMAAX® Plus (10 ai	
CleanZone® System	Yes
Clean Zone® Ultra (Dua Bluetooth Music System	Yes Sanitization System) Yes
Clean Zone® Ultra (Dua Bluetooth Music System	Yes Sanitization System) Yes
Clean Zone® Ultra (Dua Bluetooth Music System Pedestal Lights	Yes Sanitization System) Yes













Dimensions	2" / 234 cm x 234 cm
Depth	
Seating Capacity	6-7
Water Capacity (gal/liters)	500 gal /1,893 l
Weight (empty)	1,100 lbs/499 kg
Weight (full)	5,250 lbs/2,381 kg
Illuminated Drink Holders	
Illuminated Spa Controls	Yes
3.5" Underwater Spa Light	Yes

SIANDAKD UIILIIT FEAIUKES	
Programmable Filter Cycles	Yes
Steel Sub-Structure	Yes
DuraMAAX® Cabinetry	Yes
Northern Exposure® Insulation	Yes
ABS Bottom Pan	Yes
Touch Screen Top Side Control	Yes
Foot Relief Zone®	Yes
Comfort Collar®	2
Shoulder Relief Zone	Yes
Deep Tissue Hamstring Jets	Yes
Zone Therapy® Seat	Yes
Shiatsu Seat	Yes
Head Cushions	5
Aurora Cascade Water Feature	4
Digital Color Optic Lighting (interior only)	Yes
Status Indicator Light	Yes

Pump 1	. 3.0Hp/6.0bHp, 240V, 2S	p
	. 3.0Hp/6.0bHp, 240V, 2S	
	. 3.0Hp/6.0bHp, 240V, 1S	
Pump1 (Export)	. 3.0Hp/6.0bHp, 230V, 2S	p
Pump2(Export)	. 3.0Hp/6.0bHp, 230V, 2S	p
	. 3.0Hp/6.0bHp, 230V, 1S	
Electrical Requirements	, , , , ,	
(4-Wire)	240/50A/60	Δ
- xport	230V, 50Hz, 1x40	Δ
let Total	6	4
OPTIONAL FEATUR	RES	
AeroMAAX® Plus (10 air	jets)Ye	95
CleanZone® System	Ye	95
•	Sanitization System) Ye	
Bluetooth Music System .	Ye	95
K-Series Collar	Ye	95













n
n
6
L
g
g
S
4
S
S

STANDARD UTILITY FEATURES	
Programmable Filter Cycles Ye	25
Steel Sub-Structure	S
DuraMAAX® Cabinetry Ye	es
Northern Exposure® InsulationYe	
ABS Bottom PanYe	25
Touch Screen Top Side ControlYe	
Foot Relief Zone®Ye	
Comfort Collar®	2
Shoulder Relief Zone Ye	
Deep Tissue Hamstring Jets	25
Zone Therapy® SeatYe	
Shiatsu Seat	
Head Cushions	
Aurora Cascade Water Feature	

	. 3.0Hp/6.0bHp, 240V, 2Sp
Pump2	. 3.0Hp/6.0bHp, 240V, 2Sp
Pump3	. 3.0Hp/6.0bHp, 240V, 1Sp
Pump1 (Export)	. 3.0Hp/6.0bHp, 230V, 2Sp
Pump2(Export)	. 3.0Hp/6.0bHp, 230V, 2Sp
Pump3(Export)	. 3.0Hp/6.0bHp, 230V, 1Sp
Electrical Requirements	
(4-Wire)	240/50A/60A
Export	230V, 50Hz, 1x35A
Jet Total	64
OPTIONAL FEATU	RES
AeroMAAX® Plus (10 air	jets)Yes
	Yes
	Sanitization System) Yes
	Yes
	Yes













Dimensions91" X 133" /231 cm x 338 c	m
Depth38" /97 c	m
Seating Capacity8-1	0
Water Capacity (gal/liters) 714 gal /2,703	L
Weight (empty) 1,448 lbs/657 k	кg
Weight (full)	κg
Lounges	. 2
Illuminated Drink Holders	. 4
Illuminated Spa Controls You	
3.5" Underwater Spa Light	
STANDARD UTILITY FEATURES	
Programmable Filter Cycles	es
Steel Sub-Structure	es
DuraMAAX® Cabinetry Yo	es
Northern Exposure® Insulation	

ABS Bottom Pan		Yes
Touch Screen Top Side Co	ntrol	Yes
Comfort Collar®		2
Zone Therapy® Seat		Yes
Head Cushions		
Love Seat		Yes
Illuminated Water Feature)	4
Digital Color Optic Lighting	g (interior only)	Yes
Status Indicator Light		Yes
Stainless Steel Jets		
Pump1	3.0Hp/6.0bHp, 240V,	2Sp
Pump 2	3.0Hp/6.0bHp, 240V,	2Sp
Pump 3	2.5Hp/5.0bHp, 240V,	1Sp
Pump 4	2.5Hp/5.0bHp, 240V,	1Sp

Pump2(Export)	2.0Hp/4.0bHp, 230V, 2Sp 2.0Hp/4.0bHp, 230V, 2Sp
Pump4(Export)	2.0Hp/4.0bHp, 230V, 1Sp 2.0Hp/4.0bHp, 230V, 1Sp
(4-Wire)	240/40A/60A
	230V, 50Hz, 1x35A 79
OPTIONAL FEATU	RES

CleanZone® System	Yes
Clean Zone® Ultra (Dual Sanitization System)	Yes
Bluetooth Music System	Yes
Exercise Kit	Yes
Pneumatic Power Oars	Yes
X-Series Collar	Yes

982 Acrylic Colors Available Silver Marble Tuscan Sun Midnight Canyon



















Medically Designed Massage

Your AMERICAN WHIRLPOOL® hot tub features the worlds first Medically designed jetting systems for the ultimate massage. Whether it's diminishing the stresses of everyday life, relieving stiff muscles or simply helping you get a good night's sleep - medically designed Zone Therapy® utilizes correctly positioned jets to target pain zone trigger points. Precisely locating the correct size jet and massaging action where they are most effective is key to relieving pain and stiffness throughout the entire body.

AeroMAAX[®]

AeroMAAX® strategically places air injectors throughout the spa. This gentler massage promotes blood flow and "vacillation," the awakening of smaller blood vessels through the body. The effect is mild vibration in the spa, to soothe, refresh and heat.





steel escutcheon makes it easy to

adjust the power of the jet.



Comfort Collar[®]

A neck massage therapy system is one of the most relaxing features in a spa. The molded Comfort Collar's unique cushion supports your neck, while the jets massage neck and shoulder muscles. The Comfort Collar® is like having your neck massaged by a loved one. This hallmark feature is one of the reasons many have already chosen an AMERICAN WHIRLPOOL® hot tub.

X-Series Collar

The convenient X-series option replaces the Comfort Collar® and increases the seat size in the deep corner seat for physical freedom of movement and enhanced comfort for those who need it.

Ultimate Comfort

For over 40 years we have designed the worlds most comfortable hot tubs thanks to patented features like the zero gravity Performance Seat®. Seats are specifically molded to fit a variety of shapes and sizes so you can find the one that's right for you. Deep immersion seating provides ultimate comfort, while armrests and Foot Relief Zones® seem to mold to your body.




Touch Screen Top Side Control

The user-friendly spa controller allows you to change the temperature from the easy-to-read home screen and use the Mode Selection Wheel or Direct Function Selection Wheel to access any other spa features. Messages and reminders will display at the bottom of the screen to keep you up to date on its' operating condition.

AMERICAN WHIRLPOOL® hot tubs utilize Direct Drive 56 frame pumps in all of their 240 volt models. These are larger, and more powerful motors that eliminates mechanical switches allowing the pumps to run cooler for a longer and more energy efficient life.









Bluetooth Music

State of the art bluetooth technology puts the music at your fingertips.
Enjoy your favorite artists and playlists anytime with this easy to use stereo system. Simply sync any bluetooth compatible device and as you slip in to the soothing waters enjoy your favorite artists.

Two fully integrated speakers provide crisp clear fidelity for your listening enjoyment.

When you choose the AMERICAN WHIRLPOOL® Sound System, sound will resonate through the water from the powerful subwoofer, which is integrated directly into your spa's structure. The technology allows you to not only hear, but also feel your music.

Subwoofer

Crystal Clear Water

Perfect moments deserve perfect, crystal clear water. The water maintenance of your spa is made easy by the exclusive features of AMERICAN WHIRLPOOL's complete 4 step cleaning system and dual sanitization.



4 Step Filtration System

- 1. Weir Door Breaks the water surface tension and traps debris.
- **2. First Filter** Removes oil and ultra fine particulates up to 10 microns.
- **3. Basket** Captures debris before filtering for easy removal.
- **4. Spa Filter** Oversized filter permits the high flow 1000gpm intake of water to be cleaned and returned into the spa.

CleanZone®

The CleanZone® water purification system will automatically maintain healthy, crystal clear water while greatly reducing chemical maintenance. CleanZone® is a cartridge oxidizer that generates oxygen and cleans your spa water.




CleanZone® Ultra

The CleanZone® Ultra system uses the power of UVC light, the same technology utilized in many communities around the world to purify drinking water. CleanZone® Ultra kills 99.9% of micro-organisms, bacteria, viruses and parasites. This system is the perfect blend of hygiene, purity and technology.




Steel Frame Appliance Grade Structure

AMERICAN WHIRLPOOL® hot tubs are the worlds first steel frame Appliance Grade® hot tubs. The steel frame provides greater structural integrity than wood, as well as superior corrosion protection for a much longer life. Unlike wood It will never rot, warp, or crack. Stronger, more durable, and ideal for the environment - it's the reason AMERICAN WHIRLPOOL® is the ultimate hot tub. The steel frame and Northern Exposure® Insulation allow for complete service of the entire structure and all mechanical parts. Essentially the spa can be serviced to factory specifications right in your backyard, for the lifetime you own it. The hot tub is built to the same service and safety standards as other home appliances.



Lifetime Steel Structure Warranty

The steel frame is the backbone and support for the entire spa. The steel structure of your AMERICAN WHIRLPOOL® hot tub carries a lifetime warranty.





ABS Sealed Base

The ABS Sealed Base is an integral part of the support structure in an AMERICAN WHIRLPOOL® hot tub. Its one-piece construction provides a rugged foundation that seals the bottom of the spa, locking in heat and sealing out moisture.


Service

Conventional foam-filled hot tubs are extremely hard to service and are often damaged in the process. It is very costly to bring these back to factory specifications.





Northern Exposure® is the ultimate hot tub insulation system. This patent pending thermal barrier technology recycles the free heat energy for more efficient heating and lower energy costs. All four sides of the spa, plus the floor and cover are lined with reflective copper material to reflect radiant heat energy generated from the pumps back into the spa. Heat is absorbed back into the plumbing helping raise and maintain water temperature. Finally the entire exterior of the hot tub is wrapped in 3M Thinsulate® Insulation, the same incredible material utilized in winter clothing. This three layer patent pending system ensures energy created by the spa stays in the spa.



BlueMAAX®

The Northern Exposure® Insulation System features our eco-friendly BlueMAAX® insulation. Made from recycled natural fiber, it is approved by the U.S. Green Building Council. The insulation contains no chemical irritants, is treated with a borate based solution to prevent mold/mildew growth, pest infestation, and acts as a fire retardant. BlueMAAX® replaces the urethane foam in "foam filled" hot tubs. (Foam filling produces volatile organic compounds (VOC's) which are harmful to the environment.)

Ultra Quiet

The same insulation that makes an AMERICAN WHIRLPOOL® hot tub energy efficient also aids in it's ultra quiet operation. Sound energy is trapped and deadened inside the hot tub by the insulation sound barrier. Quiet operation is essential to ensure a peaceful relaxing experience throughout the entire backyard.





AMERICAN WHIRLPOOL's premium grade insulating covers contain a unique copper lining, removable heat sealing pillows to vent excess heat off in the summer and a tailored fit to keep the heat in when cooler. The cover also acts as an important safety barrier to the spa.




Lifetime Insulation Warranty

The insulation system in your new AMERICAN WHIRLPOOL® hot tub is warranted to maintain the same insulation value as it had at the time it was manufactured. The high R value, Appliance Grade® construction will allow a technician to service the entire spa and bring it back to factory specifications at home.

Set The Mood

Your American whirlpool hot tub is available with a beautiful variety of water and light features. From the laminar water fountains to the Chromotherapy underwater lighting system, everything you need for the perfect scene is available with the touch of a button. Set the color for the perfect mood or turn on the soothing water cascade to help you drift off and forget the stress of the day.





art that makes any evening special.

Continuous Cast Acrylic

Every AMERICAN WHIRLPOOL® hot tub has an attractive interior finish made from continuous cast acrylic. This is superior to Ethelyene "soft plastic" surfaces. The hard, non-porous surface resists stains, fading, scratches and chemical abuse. With the look of pearl or metalescence, the extremely rugged and durable finish offers beauty and peace of mind.



DuraMAAX® Siding

DuraMAAX® is a state of the art wood-alternative material that has the look and feel of natural wood, without the maintenance. The material is impact resistant, impervious to weather or insect damage and will never splinter, crack or rot. The attractive exterior locks in heat and seals out cold air providing a beautiful look and feel



Cabinet Colors





100 Series

100 Series Color Palette

Acrylic Colors

Glacier Mountain

Silver Marble

Midnight Canyon







Storm Clouds

Tuscan Sun

Smokey Mountain







Cabinet Colors









151



STRUCTURAL FEATURES

JINOCIONAL I LAIO	ILES
Dimensions 83"	x 63"/211 cm x 160 cm
Depth	30"/76 cm
Seating Capacity	3
Water Capacity (gal/liters)	182 gal/689 ltr
Weight (empty)	604 lbs /274 kg
Weight (full)	2,204 lbs /1,000 kg
Lounge	Yes
Aurora Cascades	Yes
Pillows	3
3.5" Underwater Spa Light	Yes

STANDARD UTILITY FEATURES

Programmable Filter Cycle	sYes
Treated Wooden Frame	Yes
DuraMAAX® Cabinetry	Yes
	Yes
HDPE Sealed Base	Yes
Stainless Steel Jets	Yes
Dynamic LED Lighting	Yes
	1.5Hp/3.0bHp, 115V, 2Sp
Pump1 (Export)	2.0Hp/4.0bHp, 230V, 2Sp
Electrical Requirements	
(4-Wire)	240V/30A/40A
(3-Wire)	120V/15A/30A
Export	230V, 50 Hz, 1x10A
let Total	20

OPTIONAL FEATURES

CleanZone® System	۱۱	/es
Dealer Installed Option:		
GFCI Cord	15ft, 1	5A



STRUCTURAL FEATURES

Dimensions	x 71" /180 cm x 180 cm
Depth	35"/89 cm
Seating Capacity	4
Water Capacity (gal/liters).	229 gal/867 ltr
Weight (empty)	577 lbs /262 kg
Weight (full)	2,480 lbs /1,125 kg
3.5" Underwater Spa Light.	Yes

STANDARD UTILITY FEATURES

OPTIONAL FEATURES

Dealer Installed Option:

Programmable Filter Cycle	sYes
Treated Wooden Frame	Yes
DuraMAAX® Cabinetry	Yes
Thermo-Lock® Insulation	Yes
HDPE Sealed Base	Yes
Stainless Steel Jets	Yes
Dynamic LED Lighting	Yes
	1.5Hp/3.0bHp, 115V, 2Sp
Pump1 (Export)	2.0Hp/4.0bHp, 230V, 2Sp
Electrical Requirements	
(4-Wire)	240V/30A/40A
(3-Wire)	120V/15A/30A
	230V, 50 Hz, 1x10A
	16

CleanZone® System.....Yes

171



STRUCTURAL FEATURES

Dimensions 83"	x 83" /211 cm x 211 cm
Depth	36"/91 cm
Seating Capacity	
Water Capacity (gal/liters)	
Weight (empty)	
Weight (full)	
Lounge	
Aurora Cascades	
Pillows	
3.5" Underwater Spa Light	
ore organization opa rigin	

STANDARD UTILITY FEATURES

Programmable Filter Cycle	esYes
Treated Wooden Frame	Yes
	Yes
	Yes
HDPE Sealed Base	Yes
Stainless Steel Jets	Yes
Dynamic LED Lighting	Yes
Pump1	2.5Hp/5.0bHp, 240V, 2Sp
Pump 2	2.5Hp/5.0bHp, 240V, 1Sp
Pump 1 (Export)	2.0Hp/4.0bHp, 230V, 2Sp
Pump2(Export)	2.0Hp/4.0bHp, 230V, 1Sp
Electrical Requirements	.,
	240V/40A/60A
	230V, 50 Hz, 1x25A
	40

OPTIONAL FEATURES

_	l 7 @	System	W.
ı	edu/une⊸	SVCTAM	YP

261



STRUCTURAL FEATURES

Dimensions63"	X 83" /160 cm x 211 cm
Depth	33"/84 cm
Seating Capacity	4
Water Capacity (gal/liters)	242 gal/916 ltr
Weight (empty)	587 lbs /266 kg
Weight (full)	
Molded Grab Bars	
Drink Holders	1
Pillows	2
3.5" Underwater Spa Light	

STANDARD UTILITY FEATURES

Programmable Filter Cycles	Yes
Hybrid Sub-Structure	Yes
DuraMAAX® Cabinetry	
Thermo-Lock® Insulation	
Molded Bottom Pan	
Stainless Steel Jets	Yes
Dynamic LED Lighting	Yes
Aurora Cascade Water Feature	
Pump13.0Hp/6.0bHp, 2	240V, 2Sp
Pump1 (Export)3.0Hp/6.0bHp, 2	230V, 2Sp
Electrical Requirements	
(4-Wire)	40A/50A
Export230V, 50 I	Hz, Íx15A
Jet Total	
ORTIONAL FEATURES	
OPTIONAL FEATURES	

CleanZone® SystemYes

Bluetooth Music SystemYes

Aqua Klean® Filtration.....Yes

Dealer Installed Option:



STRUCTURAL FEATURES













STRUCTURAL FEATURES

Dimensions83"	X 83" /211 cm x 211 cm
Depth	36"/91 cm
Seating Capacity	6-7
Water Capacity (gal/liters)	364 gal/1,378 ltr
Weight (empty)	859 lbs /390 kg
Weight (full)	3,877 lbs /1,759 kg
Molded Grab Bars	Yes
Drink Holders	2
Pillows	4
3.5" Underwater Spa Light	Yes

STANDARD UTILITY FEATURES

Programmable Filter Cycles	Yes
	Yes
	Yes
Thermo-Lock® Insulation	
	Yes
Stainless Steel Jets	Yes
	Yes
	Jre 2
Pump 1	3.0Hp/6.0bHp, 240V, 2Sp
	3.0Hp/6.0bHp, 240V, 2Sp
	3.0Hp/6.0bHp, 230V, 2Sp
Pump2(Export)	3.0Hp/6.0bHp, 230V, 2Sp
Electrical Requirements	
(4-Wire)	240V/40A/60A
Export	230V, 50 Hz, 1x25A
Jet Total	46
OPTIONAL FEATURE	S

Aqua Klean® Filtration Yes

Dealer Installed Option:

271



STRUCTURAL FEATURES

Dimensions 83" x 8	33" /211 cm x 211 cm
Depth	36"/91 cm
Seating Capacity	6
Water Capacity (gal/liters)	374 gal/1,416 ltr
Weight (empty)	
Weight (full)	4,043 lbs /1,834 kg
Drink Holders	2
Lounge	Yes
Pillows	3
3.5" Underwater Spa Light	Yes

STANDARD UTILITY FEATURES Programmable Filter Cycles

Programmable Filter Cycles	Yes
Hybrid Sub-Structure	Yes
DuraMAAX® Cabinetry	
Thermo-Lock® Insulation	
Molded Bottom Pan	Yes
Stainless Steel Jets	Yes
Dynamic LED Lighting	Yes
Aurora Cascade Water Feature	2
Pump13.0Hp/6.0bHp, 24	40V, 2Sp
Pump23.0Hp/6.0bHp, 24	40V, 2Sp
Pump1 (Export)3.0Hp/6.0bHp, 23	30V, 2Sp
Pump2(Export)3.0Hp/6.0bHp, 23	30V, 2Sp
Electrical Requirements (4-Wire) 240V/4	10A/60A
Export230V, 50 Hz	z, 1x25A
Jet Total	

OPTIONAL FEATURES

CleanZone® System	Yes
CleanZone $^{ ext{@}}$ Ultra (Dual Sanitization System)	.Yes
Bluetooth Music System	.Yes
Dealer Installed Option:	
Aqua Klean® Filtration	.Yes



200 Series

200 Series Color Palette

Acrylic Colors



280



STRUCTURAL FEATURES

Dimensions	92" X 92" /234 cm x 234 cm
Depth	36"/91 cm
Seating Capacity	7-8
Water Capacity (gal/	liters) 434 gal/1,643 ltr
Weight (empty)	946 lbs /429 kg
Weight (full)	4,595 lbs /2,084 kg
Molded Grab Bars	Yes
Drink Holders	2
Pillows	4
3.5" Underwater Spa	LightYes

STANDARD UTILITY FEATURES

Programmable Filter Cycle	esYes
Hybrid Sub-Structure	Yes
DuraMAAX® Cabinetry	Yes
	Yes
Molded Bottom Pan	Yes
Stainless Steel Jets	Yes
Dynamic LED Lighting	Yes
	ature 2
Pump1	3.0Hp/6.0bHp, 240V, 2Sp
Pump2	3.0Hp/6.0bHp, 240V, 2Sp
Pump1 (Export)	3.0Hp/6.0bHp, 230V, 2Sp
Pump2 (Export)	3.0Hp/6.0bHp, 230V, 2Sp
Electrical Requirements	
(4-Wire)	240V/40A/60A
	230V, 50 Hz, 1x25A
•	46

OPTIONAL FEATURES

CleanZone® System	.Yes
CleanZone® Ultra (Dual Sanitization System)	
Bluetooth Music System	
Dealer Installed Option:	
Aqua Klean® Filtration	.Yes



STRUCTURAL FEATURES

Dimensions	X 92" /234 cm x 234 cm
Depth	36"/91 cm
	6
	440 gal/1,666 ltr
Weight (empty)	1,009 lbs /458 kg
Weight (full)	4,658 lbs /2,113 kg
	2
Lounge	Yes
	3
3.5" Underwater Spa Light	Yes

STANDARD UTILITY FEATURES

Programmable Filter Cycle	esYes
Hybrid Sub-Structure	Yes
	ıture 2
	3.0Hp/6.0bHp, 240V, 2Sp
	3.0Hp/6.0bHp, 240V, 2Sp
•	3.0Hp/6.0bHp, 230V, 2Sp
	3.0Hp/6.0bHp, 230V, 2Sp
	I-Wire) 240V/40A/60A
	230V, 50 Hz, 1x25A
	44

OPTIONAL FEATURES

CleanZone® System	Yes
CleanZone® Uİtra (Dual Sanitization System)	Yes
Bluetooth Music System	
Dealer Installed Option:	
Aqua Klean® Filtration	Yes

282



STRUCTURAL FEATURES

Dimensions
Pillows
5.5 Onderwarer Spu Lightes
STANDARD UTILITY FEATURES
Programmable Filter CyclesYes
Hybrid Sub-StructureYes
DuraMAAX® CabinetryYes
Thermo-Lock® InsulationYes
Molded Bottom PanYes
Stainless Steel JetsYes
Dynamic LED LightingYes
Aurora Cascade Water Feature
Pump13.0Hp/6.0bHp, 240V, 2Sp
Pump23.0Hp/6.0bHp, 240V, 2Sp
Pump1 (Export)3.0Hp/6.0bHp, 230V, 2Sp
Pump2(Export)3.0Hp/6.0bHp, 230V, 2Sp
Electrical Requirements
(4-Wire)240V/40A/60A
Export230V, 50 Hz, 1x25A
Jet Total44
OPTIONAL FEATURES
CleanZone® SystemYes

CleanZone® Ultra (Dual Sanitization System)Yes Bluetooth Music SystemYes

Aqua Klean® Filtration Yes

Dealer Installed Option:



©2021 MAAX Spas Industries Corp. All rights reserved. Manufactured by MAAX Spas Industries Corp. Specifications subject to change without notice. Spas shown at various percentages of actual size. AMERICAN WHIRLPOOL, Foot Relief Zone, Zone Therapy, Comfort Collar, CleanZone, CleanZone Ultra, Powerworks, TheraMAAX, BlueMAAX, Northern Exposure, and DuraMAAX are official trademarks of MAAX Spas Industries Corp. 3M and Thinsulate are Registered trademarks of 3M.

